

Preliminary Study of Solar PV Characteristics Cooled by Water Spray

by Ketut Suarsana

Submission date: 05-Feb-2023 06:23PM (UTC+0700)

Submission ID: 2006567603

File name: 109470_SUNU.pdf (855.21K)

Word count: 2567

Character count: 13574

Preliminary Study of Solar PV Characteristics Cooled by Water Spray

Putu Wijaya Sunu^{1a}, Daud Simon Anakottapary^{1b}, I Dewa Made Susila^{1c},
I Dewa Gede Agus Triputra^{1d}, I Nyoman Edi Indrayana², Asrori^{3e}, Andoko^{4f}, Ketut Suarsana⁵
and C. Bambang Dwi Kuncoro^{6g}

¹Mechanical Engineering Department, Bali State Polytechnic, Badung, Bali, Indonesia

²Electrical Engineering Department, Bali State Polytechnic, Badung, Bali, Indonesia

³Mechanical Engineering Department, Malang State Polytechnic, Malang, Jawa Timur, Indonesia

⁴Mechanical Engineering Department, Malang State University, Malang, Jawa Timur, Indonesia

⁵Mechanical Engineering Department, Udayana University, Badung, Bali, Indonesia

⁶Refrigeration, Air Conditioning and Energy Engineering Department, National Chin-Yi University and Technology, Taiwan

Keywords: Solar PV, Automatic Cooling, Water Spray, Nominal Power.

Abstract: The efficiency of the solar PV array will decrease significantly as the temperature of the surface module exceeds a certain limit a nominal value. To handle the efficiency problem, it is important to control the surface temperature of solar PV. This study investigate the effect of the surface temperature of solar PV array modules due to automatic water spray cooling installed on the roof of a residential structure in the Denpasar area. The performance indicator were then compared to that of the case without a water spraying cooling system. A thermostat is an automatic controlling system of cooling mechanism to keep the surface of solar PV temperature nearly to the ambient temperature. In this experiment, the surface temperature was kept at approximately around 33°C with the active cooling system by the water spraying technique focus on the front surface the PV module. The result presented an increase of PV voltage by 4.69% on average. Consequently, the output power produced by the cooled PV array module increase is 107.14 W against 94.01 W for the non-cooled PV array.

1 INTRODUCTION

To limit the use of fossil fuels and reduce the carbon footprint of the global electricity system requires comprehensive policies on production and incentives to stimulate growth in renewable energy use. Electricity generation from solar energy resources which is utilizing solar radiation with solar panels as alternative energy offers many advantages namely cheap, pollutant-free, and environmentally friendly

energy. Solar PV is a very promising energy instrument for the sustainability of energy development (Jager-Waldau, 2019; Meral et al. 2011). Power generated by solar energy is a function of the PV module efficiency, and several other factors i.e., cell materials, photovoltaic system devices, environmental factors. Special attention is paid to environmental factors, hot climatic conditions, long periods of sunshine, and high ambient temperatures which is given a very dominant factor influence on

- ^a <https://orcid.org/0000-0002-6915-0475>
- ^b <https://orcid.org/0000-0001-7856-6512>
- ^c <https://orcid.org/0000-0002-2567-9932>
- ^d <https://orcid.org/0000-0002-9422-7876>
- ^e <https://orcid.org/0000-0002-9414-3015>
- ^f <https://orcid.org/0000-0003-1923-2445>
- ^g <https://orcid.org/0000-0002-5054-2794>

the efficiency and power of PV module. With environmental conditions as described above, there is a reduction in the quantity of energy that is converted into useful energy by about 31%. The rest (13) will be changed into heat energy which will affect the surface temperature of the PV panel. This condition will decrease the PV module lifespan and energy conversion efficiency (Idoko et al., 2018).

Several introductory articles regarding the solar PV cooling method as a solution to the overheating of PV surface temperatures describe low. It is well recognized that the number of efficiency can be reached by keeping the surface panel temperature. (Moharram et al., 2013) the investigation was made to reveal the phenomena of cooling the PV module using water spraying, this study also revealed how long to decrease the temperature of the surface temperature to 35°C. From the data, it specifies the PV energy output was highest when surface temperature commenced around 45°C. In the study by (Schiro et al., 2017), for controlling the temperature and reaching the maximum module performance, the researcher studied the opportunity of a cooling system method without varying the original structure. They observed the specified methods to maintain the temperature of the front panel with watering. The result shows, the method applied in this experiment could recover both the economic and performance aspect of the PV system. (Sajjad et al. 2019) expected to increase the efficiency and performance. A special cooling system developed by placing PV modules in the refrigerated duct of a buildings. The performance was made for one PV module cooled by refrigerated air and the other one was non-cooled. The cooled PV performance reaches 6% higher compared to that of the without cooling system. Also, the efficiency reached 7.2% better. In another research an investigation of applied water as cooling medium by (Abdolzadeh and Ameri, 2009). The aims of the study were to decrease the PV module surface temperature. In the case of spraying, it is usual use a water pump. The experiment data shows a significant electrical power increase of the solar PV. Of course this phenomenon will cause the efficiency of the system better. An investigation by (Kordzadeh, 2010), a thin water film layer generated by spraying water at surface area of PV to reduce the PV array temperature. In this test rig, the pump flows the cooling water to the surface of PV module. The results confirmed that the improvement of PV module efficiency.

To increase the efficiency of the PV module array, another active cooling was preserve using a heat exchanger. (Ceylan et al., 2014) an approach was

agreed out to deliver active cooling using a spiral heat exchanger. The HX was stationed on the module. The result designates 13% module efficiency increased with this HX cooling approach. A HX use as a precool the ambient air. This is an alternative cooling system employs. This method is used to cool the back surface of a PV panel. A good agreement was found to decrease the temperature from 55°C to 42°C (Elminshawy et al., 2008). Another active cooling method that is applicable from the back surface of PV modules using HX proposed by (Bahaidarah et al. 2013). The result found 9% of efficiency. This method assisted to decrease the module temperature significantly. For residential PV, another alternative cooling system method was proposed using channels which is placed under the flat of solar panel. In this schema, the thermal power exchanging take place between water circulation in/out from a tank for domestic hot water applications in England by (Peng, 2017). (Irwan et al. 2013) proposed a cooling system with the force convection system applied using a fan for air cooling. A good agreement on the amount of energy saving was accomplished. Another progress in fan cooling to reduce the temperature of PV modules by (Teo et al. 2012). In this experiment, the back side of the PV panel was tailored with an arrangement of air channel and found around 14% efficiency.

It can be summarized from the literature study done by many researchers that using water as a cooling media, found to be effective to increase the solar PV power. Therefore, the objective of this study is to build a cooling system using the spraying technique to controlled the surface of solar cells temperature from overheating problematic.

2 EXPERIMENTAL METHODS

A water tank with a capacity of 120L is considered to provide a supply cooling system of a PV panel (Figure 1). Water is pumped through the pipe system by a centrifugal pump. Ten nozzles were placed on the edge of solar PV which is spraying the water to the surface of solar PV. The solar PV was cooled during the optimum solar irradiance intensity of a day period of 2.5 hours, from 11:00 a.m. to 01:30 p.m., in May 2021 at Denpasar city, Bali, Indonesia. The experimental setup comprises two solar PV units. Every solar PV unit has 72 monocrystalline silicon cells. The load is about 50 W. The unit's specification is presented in Table 1.

Table 1: Specification of the PV panel.

Parameter of PV panel	Specification
Cell type	Monocrystalline Si
Number of cells	72
Maximum power (P _{max})	220 W
Current at P _{max} / I _{sc}	5.73A
Voltage at P _{max} / V _{oc}	47.00V
Dimensions of module (mm)	1320 x 992 x 40

The graphic of the test experimental setup is shown in Fig. 1.




Figure 1: Sketch of water spray cooling system of the solar PV.

The PV panel is placed at a proclivity angle around 15° to the flat surface. The positioning of solar PV depends on geographical conditions. Besides that in the meantime of spraying, this inclination will prevent puddles on the surface of solar PV. The experiments were carried out for cut-off surface temperature around 33°C . Temperature measurements were taken every second from some point in the surface of the PV module with K-type thermocouples and logged with a data logger. Meanwhile, electrical parameters were taken via Bluetooth communication for every 30 s.

3 RESULT AND DISCUSSION

Firstly, the data were conducted under relatively high radiation intensities at noon. The increase of PV-surface temperature was logged under these solar irradiances without any cooling system. The data was then compared to that of the surface temperature of solar PV 33°C . The water flow rate considered for the spray cooling is 4 l/min of all PV surface area.





Figure 2: The time series of PV surface temperature (for without-cooled).

Figure 2 shows the temperature of the PV surface as a function of time. It can be seen, that the temperature increased gradually by increased of time. The temperature of the PV panel surface for the uncooled PV system is varied and reached a maximum of about 51.5°C . The panel cooled down by the spray water cooling systems and maintain the surface temperature 28 and 33°C with a deviation of about 2°C as shown in Fig 3.

Figure 3: The time series of PV surface temperature (for 33°C conditions).

The spray technique is effective to reduce the PV surface temperature by reducing the reflection of electromagnetic radiations and the efficiency of solar PV are strongly correlated with the solar spectrums. (Hadipour, 2021). Fig. 4 shows the time series of voltage values of the duty cycle on the experiment period. As shown in fig.4, by decreasing the surface temperature of PV, the voltage produced by the solar PV increase.




Figure 4: The time series of PV voltage (for without-cooled and 33°C conditions).

The maximum electrical voltage significantly increases, by decreasing the surface solar P₃ temperature. The changes in the maximum current of the PV panel can be observed in Fig.5. It is also revealed, the water spraying cooling technique is more effective to increase the current in a high solar irradiation environment.




Figure 5: The time series of PV current (for without-cooled and 33°C conditions).

Fig. 6 described the time series of the electrical power generated by solar PV for all variables in this research. As described in this figure, the average electrical power output of 94.01 W. On the other hand, the average electrical power output is 107.29 W for the cooled PV panel can be achieved by using a steady water spraying cooling system. The more decreases of the surface PV temperature, the more increases power output.




Figure 6: The time series of PV power (for without-cooled and 33°C conditions).

The spray cooling technique has the better performance on the electrical parameter but they're still need to investigate about the electrical efficiencies for both cases. So, it is strongly suggested to use the water spraying technique for maintaining the PV panel's temperature.

4 CONCLUSIONS

To cool the PV panels, the research proposed a technique using spray water. The experimental setup has been arranged to find the correlation of cooling the PV surface on the electrical parameter. It can be determined from the results that:

1. The application of a cooling system by means of spray cooling is very possible.
2. Based on the concern operating conditions the average power for cooled PV surface is 107.29 W, and 94.01 W for non-cooled PV surface. It has a strong correlation between the output electrical energy and surface PV temperature.

20 ACKNOWLEDGEMENTS

The authors would like to express sincere gratitude to Kemdikbud-Ristek, Republic of Indonesia for research fund, No. 180/E4.1/AK.04.PT/2021. Also Politeknik Negeri Bali with research project number is No. 31/PG/PL8/2021.

REFERENCES

- Abdolzadeh, M., Ameri, M., 2009. *Improving the effectiveness of a photovoltaic water pumping system by*

- spraying water over the front of photovoltaic cells. In Renew. Energy.
- Bahaidarah, H., Subhan, A., Gandhidasan, P., Rehman, S., 2013. *Performance evaluation of a PV (photovoltaic) module by back surface water cooling for hot climatic conditions*. In Energy.
- Ceylan, I., Gürel, A.E., Demircan, H., Aksu, B., 2014. *Cooling of a photovoltaic module with temperature controlled solar collector*. In Energy Build.
- Elminshawy N.A.S., Mohamed A.M.I., Morad K., Elhenawy Y., Alrobaian A.A., 2019. *Performance of PV panel coupled with geothermal air cooling system subjected to hot climatic*. In Appl Therm Eng.
- Hadipour Amirhosein, Mehran Rajabi Zargarabadi, Saman Rashidi., 2021. *An efficient pulsed-spray water cooling system for photovoltaic panels: Experimental study and cost analysis*. In Renewable Energy.
- Idoko Linus, Olimpo Anaya-Lara, Alasdair McDonald, 2018. *Enhancing PV modules efficiency and power output using multi-concept cooling technique*. In Energy Reports.
- Irwan, Y.M., Daut, I., Safwati, I., Irwanto, M., Gomesh, N., Fitra, M., 2013. *A new technique of photovoltaic/wind hybrid system in Perlis*. In Energy Proc.
- Jager-Waldau A., 2019. *Snapshot of photovoltaics*. In Energies.
- Kordzadeh, A., 2010. *The effects of nominal power of array and system head on the operation of photovoltaic water pumping set with array surface covered by a film of water*. Renew. In Energy.
- Meral, M.E., Diner, F., 2011. *A review of the factors affecting operation and efficiency of photovoltaic based electricity generation systems*. In Renew. Sustain. Energy Rev.
- Moharram, K.A., Abd-Elhady, M.S., Kandil, H.a., El-Sherif, H., 2013. *Enhancing the performance of photovoltaic panels by water cooling*. In Ain Shams Eng. J.
- Sajjad U. et al., 2019. *Cost effective cooling of photovoltaic modules to improve efficiency*. In Case Studies in Thermal Engineering.
- Schiro F., A. Benato, A. Stoppato, N. Destro, 2017. *Improving photovoltaics efficiency by water cooling: Modelling and experimental approach*. In Energy.
- Teo, H.G., Lee, P.S., Hawlader, M.N., 2012. *An active cooling system for photovoltaic modules*. In Appl. Energy.
- Peng Z, Herfatmanesh MR, Liu Y., 2017. *Cooled solar PV panels for output energy efficiency optimisation*. In Energy Convers Manag.

Preliminary Study of Solar PV Characteristics Cooled by Water Spray

ORIGINALITY REPORT

16%
SIMILARITY INDEX

%
INTERNET SOURCES

16%
PUBLICATIONS

%
STUDENT PAPERS

PRIMARY SOURCES

- | | | |
|---|--|--|
| <div style="background-color: red; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin: 0 auto;">1</div> | <p>Lorenzo Carlo Pescatori, Edoardo Savarino, Giovanni Mauri, Enzo Silvestri et al.</p> <p>"Quantification of visceral adipose tissue by computed tomography and magnetic resonance imaging: reproducibility and accuracy", Radiologia Brasileira, 2019</p> <p>Publication</p> | <div style="font-size: 2em;">2</div> % |
| <div style="background-color: magenta; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin: 0 auto;">2</div> | <p>Royke Vincentius Febriyana, Ramadhan S. Pernyata, Dita Andansari. "Two-sided manual machining method for three-axis CNC milling machine for small and medium-sized enterprises", Journal of Mechatronics, Electrical Power, and Vehicular Technology, 2022</p> <p>Publication</p> | <div style="font-size: 2em;">1</div> % |
| <div style="background-color: purple; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin: 0 auto;">3</div> | <p>Cheng Siong Chin, Zuchang Gao, Ming Han, Caizhi Zhang. "Enhancing performance of photovoltaic panel by cold plate design with guided channels", IET Renewable Power Generation, 2020</p> <p>Publication</p> | <div style="font-size: 2em;">1</div> % |

4

Kordzadeh, A.. "The effects of nominal power of array and system head on the operation of photovoltaic water pumping set with array surface covered by a film of water", Renewable Energy, 201005

Publication

1 %

5

Mahmoud Salem, Ahmed Mohamed, Hussein Maghrabie. "Performance Evaluation of Combined Photovoltaic Thermal Water Cooling System for Hot Climate Regions", Journal of Solar Energy Engineering, 2019

Publication

1 %

6

I.K Widana, Ni Wayan Sumetri, I Ketut Sutapa. "Ergo-physiological Work Station Reduces Cardiovascular Load and Visual Complaints of Carved Artists", Journal of Physics: Conference Series, 2020

Publication

1 %

7

Lydia Bonazzola, Alain H. Fuchs, Jacques Roncin, Henri Szwarc. "Glassy crystals. 2. Electron paramagnetic resonance study of molecular motions and free-radical diffusion near the glass transition in cycloalkanols: evidence for chemical diffusion", The Journal of Physical Chemistry, 2002

Publication

1 %

8

Babak Karami, Neda Azimi, Shahin Ahmadi. "Increasing the electrical efficiency and

1 %

thermal management of a photovoltaic module using expanded graphite (EG)/paraffin-beef tallow-coconut oil composite as phase change material", Renewable Energy, 2021

Publication

9

P. Ooshaksaraei, K. Sopian, R. Zulkifli, M. A. Alghoul, Saleem H. Zaidi. "Characterization of a Bifacial Photovoltaic Panel Integrated with External Diffuse and Semimirror Type Reflectors", International Journal of Photoenergy, 2013

1 %

Publication

10

A. T. Jailany, A. Abd El-Al, M. A. Rashwan. "EFFECT OF WATER COOLING ON PHOTOVOLTAIC PERFORMANCE", Misr Journal of Agricultural Engineering, 2016

<1 %

Publication

11

"Proceedings of International Conference in Mechanical and Energy Technology", Springer Science and Business Media LLC, 2020

<1 %

Publication

12

B. Tashtoush, A. Al-Oqool. "Factorial analysis and experimental study of water-based cooling system effect on the performance of photovoltaic module", International Journal of Environmental Science and Technology, 2018

<1 %

Publication

13

Sajag Poudel, An Zou, Shalabh C. Maroo.
"Thermal Management of Photovoltaics Using
Porous Nanochannels", Energy & Fuels, 2022

Publication

<1 %

14

Syaiful, Nakula Kusuma, Muchammad, Retno
Wulandari, Nazarudin Sinaga, Ahmad
Siswantara, Myung-Whan Bae. "Numerical
investigation of heat transfer and pressure
loss of flow through a heated plate mounted
by perforated concave rectangular winglet
vortex generators in a channel", AIP
Publishing, 2020

Publication

<1 %

15

Zhijun Peng, Mohammad R. Herfatmanesh,
Yiming Liu. "Cooled solar PV panels for output
energy efficiency optimisation", Energy
Conversion and Management, 2017

Publication

<1 %

16

Passos, J.C., D.C. Martins, N.M. da Rocha, and
R.F. Coelho. "Suggestion of Associating a PV
MPPT Algorithm Based on Temperature
Control with a PV Cooling System", 3rd
Renewable Power Generation Conference
(RPG 2014), 2014.

Publication

<1 %

17

Saeed Siah Chehreh. "An enviroeconomic
review of the solar PV cells cooling technology

<1 %

effect on the CO2 emission reduction", Solar Energy, 2021

Publication

18

Sargunanathan, S., A. Elango, and S. Tharves Mohideen. "Performance enhancement of solar photovoltaic cells using effective cooling methods: A review", Renewable and Sustainable Energy Reviews, 2016.

Publication

<1 %

19

"Advances in Mechanical Engineering", Springer Science and Business Media LLC, 2021

Publication

<1 %

20

"Proceedings of the Second International Conference on the Future of ASEAN (ICoFA) 2017 – Volume 2", Springer Science and Business Media LLC, 2018

Publication

<1 %

21

Elnozahy, Ahmed, Ali K. Abdel Rahman, Ahmed Hamza H. Ali, Mazen Abdel-Salam, and S. Ookawara. "Performance of a PV module integrated with standalone building in hot arid areas as enhanced by surface cooling and cleaning", Energy and Buildings, 2015.

Publication

<1 %

22

Guiqiang Li, Yi Jin, M.W. Akram, Xiao Chen. "Research and current status of the solar photovoltaic water pumping system – A

<1 %

23

Piero Bevilacqua, Roberto Bruno, Natale Arcuri. "Comparing the performances of different cooling strategies to increase photovoltaic electric performance in different meteorological conditions", Energy, 2020

Publication

<1 %

24

Rahim Jafari. "Optimization and energy analysis of a novel geothermal heat exchanger for photovoltaic panel cooling", Solar Energy, 2021

Publication

<1 %

25

Belyamin Belyamin, Mohamad Ali Fulazzaky, Martin Roestamy, Rahmat Subarkah. "Influence of cooling water flow rate and temperature on the photovoltaic panel power", Energy, Ecology and Environment, 2021

Publication

<1 %

26

Deeksha Singh, Harsha Chaubey, Yusuf Parvez, Aditi Monga, Shruti Srivastava. "Performance improvement of solar PV module through hybrid cooling system with thermoelectric coolers and phase change material", Solar Energy, 2022

Publication

<1 %

27

Nabil A.S. Elminshawy, A.M.I. Mohamed, K. Morad, Y. Elhenawy, Abdulrahman A Alrobaian. "Performance of PV panel coupled with geothermal air cooling system subjected to hot climatic", Applied Thermal Engineering, 2018

Publication

<1 %

28

Rajvikram Madurai Elavarasan, Vijay Mudgal, Leoponraj Selvamanohar, Kai Wang et al. "Pathways toward high-efficiency solar photovoltaic thermal management for electrical, thermal and combined generation applications: A critical review", Energy Conversion and Management, 2022

Publication

<1 %

Exclude quotes On

Exclude matches < 5 words

Exclude bibliography On